



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

DAIKIN
Air Conditioning

Air cooled chiller

	» EWAQ-AC	 5,2 - 7,1 kW	
	» EWYQ-AC	 5,2 - 7,1 kW 5,7 - 7,8 kW	
	» EUWAC-FZ centrifugal fan	 11,6 - 23,8 kW	
	» EUWA(B.N.P.)-KAZW	 11,3 - 55,3 kW	
	» EUWY(B.N.P.)-KAZW	 9,1 - 50,0 kW 11,9 - 54,0 kW	
	» EUWA-HZW	 68,1 - 79,5 kW	
	» EWAQ-DAYN	 80,0 - 254,0 kW	
	» EWYQ-DAYN	 77,0 - 252,0 kW 87,7 - 284,0 kW	
	» EWAP-MBYNN	 111,0 - 541,0 kW	
	» EWTP-MBYNN heat recovery	 107,0 - 520,0 kW	
		 97,7 - 465,0 kW  107,0 - 443,0 kW	
	» EWAP-AJYNN	 790,0 - 1649,0 kW 	
	» EWAP-AJYNN /A	 854,0 - 1729,0 kW 	
	» EWAD-MBYNN	 121,0 - 605,0 kW	



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ



- » [EWAD-AJYNN](#)
- » [EWAD-AJYNN /Q](#)
- » [EWAD-AJYNN /A](#)
- » [EWAD-AJYNN /H](#)

 184,0 - 370,0 kW 

 203,0 - 309,0 kW 


 247,0 - 401,0 kW 


 194,6 - 381,0 kW 

R-134a



- » [EWYD-AJYNN](#)

 255,0 - 385,0 kW

 274,0 - 412,0 kW

R-134a



INVERTER



- » [EWAD-BJYNN](#)
- » [EWAD-BJYNN /Q](#)
- » [EWAD-BJYNN /A](#)
- » [EWAD-BJYNN /Z](#)

 640,0 - 1772,0 kW 

 539,0 - 1152,0 kW 

 667,0 - 1920,0 kW 

 569,0 - 1013,0 kW 

R-134a





VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

Water cooled chiller



» [EWWP-KAW1N](#)

» [EWWP-KAW1M](#)



13,0 - 65,0 kW 16,0 - 82,0 kW



86,0 - 195,0 kW 110,0 - 250,0 kW

R-407C



» [EWWD-MBYN](#)



123,0 - 546,0 kW 147,0 - 655,0 kW

R-134a



» [EWWD-DJYNN](#)



165,5 - 555,7 kW 208,0 - 706,0 kW

R-134a



» [EWWD-DJYNN /A](#)



186,4 - 603,9 kW 226,0 - 742,0 kW



» [EWWD-CJYNN](#)



334,0 - 1893,0 kW 415,0 - 2309,0 kW

R-134a



» [EWWD-BJYNN](#)



369,0 - 1050,0 kW

R-134a



» [Dry cooler LU-VE](#)



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

Condenserless chiller



» [EWLP-KAW1N](#)



12,1 - 62,4 kW

R-407C



» [EWLD-MBYN](#)



116,0 - 530,0 kW

R-134a



» [Condenser LU-VE](#)



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

Condensing unit



» [RP-B](#)



20,00 - 25,00 kW

R-407C

Non-Inverter



» [ERX](#)



11,8 - 28,0 kW

R-410A

INVERTER



» [ERAP](#)



114,0 - 171,0 kW

R-407C






VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

Air handling unit




 **WEGER**

Possible applications :

- Air handling units for filtering, heating, cooling, humidifying, and air drying
- Air handling units with heat recovery
- Air handling units for outdoor or roof top installation
- Air handling units for process industry
- Air handling units in hygienic execution for hospital and clean room
- Air handling units with indirect gas fired heating
- Air handling units for swimming pool applications



Range selection diagramm für DW 64 - 3125





VAKO d.o.o.


Kolodvorska 56b, 8340 ČRNOMELJ



1 - 162 kW

Air cooler

Compact and industrial glycol air cooler



» S2HCW



» S3HCW




» SHDNW
» SHDSW



» SHAW



» NHIW
» HILW



» HDIW



» CHSW



» LHSW



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ

Fan coil



» [Low wall unit](#)
FWV



» [Flexi type unit](#)
FWL



» [Concealed type unit](#)
FWM



VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ



» [Wall mounted unit](#)
FWT




» [Cassette unit 2x2](#)
FWF

» [Cassette unit 3x3](#)
FWC



» [Small duct unit](#)
FWB-
A



» [Duct unit](#)
FWB-J




VAKO d.o.o.

Kolodvorska 56b, 8340 ČRNOMELJ




» [Small duct unit](#)

FWB-A



» [Duct unit](#)

FWB-J



» [Duct type](#)

FWD



» [Fancoil controller](#)